Mediatech, Inc. A Corning Subsidiary

Certificate of Analysis

Description: DMEM

(Dulbecco's Modification of

Eagle's Medium) with 4.5 g/L glucose,

L-glutamine & sodium pyruvate without sodium bicarbonate

Prepares 50 L at 13.48 g/L

Storage:

2-8°C

Catalog #:

50-003-PC

Lot #:

13315009

Expiration Date:

10/17

Country of Manufacture: USA

Notes:

This product was tested in accordance with currently approved Mediatech, Inc. specifications and procedures. Testing procedures are maintained in compliance with the current versions of the USP and/or EP, where applicable.

For IVD Use. Not for Human Therapeutic Use. Utilization of this product apart from the labeled intended use may be a violation of local and/or Federal Law.

TEST PARAMETERS	SPECIFICATION	RESULT
Cell Line	1	
L929 (Cellgrowth)	Pass	Pass
PRK (Cellgrowth)	Pass	Pass
NG-108 (Cellgrowth)	Pass	Pass
pH (before adjustment with NaHCO₃)	Α	,
	6.5 ± 0.5	6.2
Osmolality (before adjustment with NaHCO ₃)	For information Only	262 mOsm/Kg H ₂ O
pH (after adjustment with NaHCO₃)	7.8 ± 0.5	7.8
Osmolality (after adjustment with NaHCO ₃)	$335\pm30~\text{mOsm/Kg H}_2\text{O}$	339 mOsm/Kg H₂O
ositionality (after adjustificite with Natices)		
	≤ 0.25 EU/mL @ FW	< 0.0010 EU/mL @ FW
Endotoxin	≤ 0.25 EU/mL @ FW Tested Negative	< 0.0010 EU/mL @ FW Negative
Endotoxin Mycoplasma Moisture	200 M	< 0.0010 EU/mL @ FW Negative 0.52%
Endotoxin Mycoplasma Moisture	Tested Negative	Negative
Endotoxin Mycoplasma	Tested Negative ≤ 1.50%	Negative 0.52%

For additional information on this Mediatech product, please contact our Technical Services department at (800) 235-5476 or via email at MTTechServ@corning.com.

Following signatures indicate the above material has met all quality specifications and has been reviewed by a Quality representative.

Written By/Date:

•

Reviewed By/ Date:

Corre 08 JUNIO15



Mediatech, Inc. A Corning Subsidiary 9345 Discovery Boulevard Manassas,VA 20109 Main (703) 471-5955 Customer Service (800) 235-5476 www.cellgro.com