

Certificate of Analysis

Description: DMEM

(Dulbecco's Modification of Eagles Medium)

with 4.5 g/L glucose & L-glutamine without sodium pyruvate & sodium bicarbonate

Prepares 10 L at 13.37 g/L

Catalog #: 50-013-PB

Lot #: 25622013

Expiration Date: 2025-07

Country of Manufacture: USA

Storage: 2-8°C

Notes:

This product was tested in accordance with currently approved Mediatech, Inc. specifications and procedures. Testing procedures are maintained in compliance with the current versions of the USP and/or EP, where applicable.

For Research or Further Manufacturing Use Only Not for use in Diagnostic Procedures. Utilization of this product apart from the labeled intended use may be a violation of local and/or Federal Law.

TEST PARAMETERS	SPECIFICATION	RESULT
pH (before adjustment with NaHCO ₃)	6.5 ± 0.5	6.1
pH (after adjustment with NaHCO ₃)	7.8 ± 0.5	7.7
Osmolality (before adjustment with NaHCO ₃)	For Information	255 mOsm/Kg H ₂ O
Osmolality (after adjustment with NaHCO ₃)	335 ± 30 mOsm/Kg H ₂ O	334 mOsm/Kg H ₂ O
Endotoxin	≤ 0.25 EU/mL @ FW	< 0.0010 EU/mL @ FW
Mycoplasma	Tested Negative	Negative
Moisture	≤ 1.50%	0.98%
Bioburden	Test & Report	0 CFU/g
Particle Size	≥ 90% @ 212 micron	99% @ 212 micron
Solubility	Pass	Pass
Cell Growth	Pass	Pass
PRK		
VERO		
NG-108		
Plating Efficiency	Pass	Pass
LM		

For further information, contact Corning Scientific Support at 800-492-1110 or ScientificSupport@corning.com.

Following signatures indicate the above material has met all quality specifications and has been reviewed by a Quality representative.

Written By/Date: jm 14 Sep 2022

Reviewed By/Date: George 15 SEP 2022

CORNING

Mediatech, Inc.
A Corning Subsidiary
9345 Discovery Boulevard
Manassas, VA 20109
1-800-492-1110
www.corning.com