

## Certificate of Analysis

### Description: DMEM

(Dulbecco's Modification of Eagles Medium)

with 4.5 g/L glucose & L-glutamine without sodium pyruvate & sodium bicarbonate

Prepares 10 L at 13.37 g/L

Catalog #: 50-013-PB

Lot #: 29118007

Expiration Date: 03/21

Country of Manufacture: USA

Storage: 2-8°C

### Notes:

This product was tested in accordance with currently approved Mediatech, Inc. specifications and procedures. Testing procedures are maintained in compliance with the current versions of the USP and/or EP, where applicable.

For IVD Use. Not for Human Therapeutic Use. Utilization of this product apart from the labeled intended use may be a violation of local and/or Federal Law.


TEST PARAMETERS	SPECIFICATION	RESULT
Cell Line		
PRK (Cellgrowth)	Pass	Pass
VERO (Cellgrowth)	Pass	Pass
NG-108(Cellgrowth)	Pass	Pass
LM (Plating Efficiency)	Pass	Pass
pH (before adjustment with NaHCO <sub>3</sub> )	6.5 ± 0.5	6.2
pH (after adjustment with NaHCO <sub>3</sub> )	7.8 ± 0.5	7.7
Osmolality (before adjustment with NaHCO <sub>3</sub> )	For Information	255 mOsm/Kg H <sub>2</sub> O
Osmolality (after adjustment with NaHCO <sub>3</sub> )	335 ± 30 mOsm/Kg H <sub>2</sub> O	331 mOsm/Kg H <sub>2</sub> O
Endotoxin	≤ 0.25 EU/mL @ FW	< 0.0010 EU/mL @ FW
Mycoplasma	Tested Negative	Negative
Moisture	≤ 1.50%	0.53%
Bioburden	Test & Report	10 CFU/g
Particle Size	≥ 90% @ 212 micron	99% @ 212 micron
Solubility	Pass	Pass

For additional information on this Mediatech product, please contact our Technical Services department at (800) 235-5476 or via email at MTTechServ@corning.com.

Following signatures indicate the above material has met all quality specifications and has been reviewed by a Quality representative.

Written By/Date: *[Signature]* 19 Oct 2018

Reviewed By/Date: *[Signature]* 19 Oct 2018



Mediatech, Inc.  
A Corning Subsidiary  
9345 Discovery Boulevard  
Manassas, VA 20109  
1-800-492-1110  
[www.cellgro.com](http://www.cellgro.com)